



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT1330620
SITENAME Pian della Badia (Tiglieto)

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type B	1.2 Site code IT1330620	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Pian della Badia (Tiglieto)

1.4 First Compilation date 1995-06	1.5 Update date 2020-12
--	-----------------------------------

1.6 Respondent:

Name/Organisation:	Regione Liguria - Dipartimento Ambiente - Servizio Parchi, Aree Protette e Biodiversità
Address:	Via Fieschi, 15 - 16121 Genova
Email:	parchi@regione.liguria.it

1.7 Site indication and designation / classification dates

Date site classified as SPA:	0000-00
National legal reference of SPA designation	No data
Date site proposed as SCI:	1995-06
Date site confirmed as SCI:	No data
Date site designated as SAC:	2016-10
National legal reference of SAC designation:	DM 13/10/2016 - G.U. 253 del 28-10-2016

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude	Latitude
8.6	44.533333

2.2 Area [ha]:

2.3 Marine area [%]

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code

Region Name

ITC3

Liguria

2.6 Biogeographical Region(s)

Continental (100.0
%)

3. ECOLOGICAL INFORMATION

[Back to top](#)

3.1 Habitat types present on the site and assessment for them

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
4030 B			7.68		M	B	C	B	B
6110 B			0.78		G	D			
6510 B			21.55		M	C	C	B	C
8220 B			5.04		G	D			
91E0 B			2.68		M	B	C	B	B
9260 B			6.83		M	C	C	C	C
9540 B			53.68		M	C	C	C	C

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site					Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A085	Accipiter gentilis			p				P	DD	D			
B	A086	Accipiter nisus			p				P	DD	D			
B	A324	Aegithalos caudatus			p				P	DD	D			
B	A229	Alcedo atthis			c				P	DD	D			
B	A110	Alectoris rufa			p				P	DD	D			
B	A053	Anas platyrhynchos			p				P	DD	D			
B	A257	Anthus pratensis			c				P	DD	D			
B	A256	Anthus trivialis			r				P	DD	D			

B	A226	Apus apus			r				P	DD	D				
B	A227	Apus pallidus			r				P	DD	D				
B	A091	Aquila chrysaetos			p				P	DD	D				
B	A028	Ardea cinerea			c				P	DD	D				
B	A218	Athene noctua			p				P	DD	D				
I	1092	Austropotamobius pallipes			p				P	DD	C	C	A	C	
F	1137	Barbus plebejus			p				C	DD	C	B	C	B	
B	A087	Buteo buteo			c				P	DD	D				
M	1352	Canis lupus			p				P	DD	C	B	C	B	
B	A224	Caprimulgus europaeus			r				P	DD	C	C	C	C	
B	A364	Carduelis carduelis			p				P	DD	D				
B	A365	Carduelis spinus			w				P	DD	D				
B	A335	Certhia brachydactyla			p				P	DD	D				
B	A264	Cinclus cinclus			w				P	DD	D				
B	A080	Circetus gallicus			c				P	DD	D				
F	5304	Cobitis bilineata			p				C	DD	C	B	B	B	
B	A208	Columba palumbus			p				P	DD	D				
B	A349	Corvus corone			p				P	DD	D				
B	A212	Cuculus canorus			r				P	DD	D				
B	A253	Delichon urbica			r				P	DD	D				
B	A237	Dendrocopos major			p				P	DD	D				
B	A240	Dendrocopos minor			p				P	DD	D				
B	A236	Dryocopus martius			p				P	DD	D				
B	A378	Emberiza cia			r				P	DD	D				
B	A377	Emberiza cirius			r				P	DD	D				
B	A269	Erithacus rubecula			p				P	DD	D				
B	A103	Falco peregrinus			p				P	DD	D				
B	A096	Falco tinnunculus			p				P	DD	D				
B	A359	Fringilla coelebs			p				P	DD	D				
B	A360	Fringilla montifringilla			w				P	DD	D				
B	A123	Gallinula chloropus			p				P	DD	D				
B	A342	Garrulus glandarius			p				P	DD	D				
B	A251	Hirundo rustica			r				P	DD	D				
B	A233	Jynx torquilla			r				P	DD	D				
B	A338	Lanius collurio			r				P	DD	C	C	C	C	
I	1083	Lucanus cervus			p				P	DD	D				
B	A246	Lullula arborea			c				P	DD	D				
B	A246	Lullula arborea			r				P	DD	D				
B	A271	Luscinia megarhynchos			r				P	DD	D				
B	A262	Motacilla alba			p				P	DD	D				
B	A261	Motacilla cinerea			p				P	DD	D				
B	A319	Muscicapa striata			r				P	DD	D				
B	A337	Oriolus oriolus			r				P	DD	D				
B	A214	Otus scops			r				P	DD	D				
B	A328	Parus ater			p				P	DD	D				
B	A329	Parus caeruleus			r				P	DD	D				

P		Alyssoides utriculata							V								X
P		Berberis vulgaris							P								X
A		Bufo bufo							C					X			
P		Cerastium utriense							R				X				
R	1284	Coluber viridiflavus							C	X							
M	1327	Eptesicus serotinus							P	X							
I		Euphydryas provincialis							P								X
B		Falco tinnunculus							P								X
F		Gobio benacensis							P								X
M	5365	Hypsugo savii							P	X							
P		ISATIS TINCTORIA L.							P								X
R		Lacerta bilineata							C					X			
B		Lophophanes cristatus							P								X
M	1357	Martes martes							R		X						
M	1314	Myotis daubentonii							P	X							
R	1292	Natrix tessellata							R	X							
I		Onychogomphus uncatus							P								
P		Phyteuma scorzonerifolium							P				X				
M	2016	Pipistrellus kuhlii							P	X							
M	1309	Pipistrellus pipistrellus							P	X							
R	1256	Podarcis muralis							C	X							
B		Poecile palustris							P								X
A	1209	Rana dalmatina							C	X							
A	1210	Rana esculenta							C		X						
P		Robertia taraxacoides							R				X				
A		Salamandra salamandra							C					X			
P		SESAMOIDES PYGMAEA (SCHEELE) KUNTZE							R								X
F		Squalius squalus							P								X

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** IV, V: Annex Species (Habitats Directive), A: National Red List data; B: Endemics; C: International Conventions; D: other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N08	4.0
N15	3.0
N23	1.0

N14	3.0
N09	1.0
N06	2.0
N07	1.0
N21	1.0
N17	78.0
N22	2.0
N16	4.0
Total Habitat Cover	100

Other Site Characteristics

Area con substrati ofiolitici (sepentiniti massicce con locali fenomeni di cataclasi) in parte denudati, comprendente un interessante fondovalle (con meandri e piana alluvionale antropizzata ma con pozze) e versanti con bosco rado di conifere. Sussistono valori storico-architettonici. Il sito rientra in minima parte nel Parco Naturale Regionale del Beigua (zona di interesse naturalistico -ambientale e nucleo rurale storico) e per il resto rientra nell'area di collegamento del Parco stesso ex L.R. n° 16 del 9/4/85, n° 12 del 22/2/95 e succ. modifiche. Sussiste inoltre un vincolo ai sensi dei D.D.M.M. 24/4/1985.

4.2 Quality and importance

Area con substrati ofiolitici in parte denudati, comprendente un interessante fondovalle caratterizzato da torrente a meandri, piana alluvionale con pozze di notevole valore (anche se parzialmente di origine antropica) e versanti con boschi radi di conifere. La presenza di coltivi accostati ad habitat naturali esalta il grado di biodiversità della fauna, specialmente ornitica. Nel sito sono presenti habitats prioritari per la 92/43 CEE, nonché habitats caratteristici (formazioni ofiolitiche) e specie (Cerastium utriense) proposti dalla Regione Liguria per l'inclusione negli All. I e II della Direttiva 92/43 CEE. Di notevole valore è la presenza di Cerastium utriense, specie endemica prossima al limite settentrionale della sua ristretta distribuzione. Sussistono inoltre importanti valori storico -architettonici, ai quali sono collegabili alcune presenze di specie vegetali tipiche di coltivazioni del passato ed ora in via di notevole rarefazione.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
H	A06.04		-
M	C03.03		-
M	J02.06		-
M	J03.02		-
H	A04.03		-
H	B02		-

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside /outside [i o b]

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

4.5 Documentation

Geologia:- Allasinaz A., Gelati R., Gnaccolini M., Martinis B., Orombelli G., Pasquar? G., Rossi P.M. - 1971 - Note illustrative della carta geologica d'Italia 1:100.000, Foglio 82-Genova. Servizio Geologico d'Italia.- AA.VV. - 1991 - Alpi Liguri. Guide geologiche regionali, 2: 293.- Capponi G., Pacciani G., Rebora A., Amendolia M. - 1987 - Analisi e cartografia strutturale del settore centro meridionale del Massiccio di Voltri, Alpi liguri. Boll. Soc. Geol. It., 106: 99-111.- Capponi G., Scambelluri M., Tallone S. - 1988 - Introduzione all'evoluzione metamorfico-strutturale del Gruppo di Voltri (Alpi liguri). Gruppo strutturale italiano. - Capponi G., Gosso G., Scambelluri M., Siletto G.B., Tallone S. - 1994 - Carta geologico-strutturale del settore centro meridionale del Gruppo di Voltri (Alpi liguri) e note illustrative. Boll. Soc. Geol. It., 113: 383-394.- Chiesa S., Cortesogno L., Forcella F., Galli M., Messiga B., Pasquar? G., Pedemonte G.M. - 1975 - Assetto strutturalae ed interpretazione del Gruppo di Voltri. Boll. Soc. Geol. It., 94: 555-581.Rovereto G. - 1939 - Liguria geologica. Mem. Soc. Geol. It., 2: 743.

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]
IT04	30.0

Code	Cover [%]
IT11	15.0

Code	Cover [%]
IT13	100.0

5.2 Relation of the described site with other sites:

5.3 Site designation (optional)

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	ENTE PARCO DEL BEIGUA
Address:	Via G. Marconi, 165 loc. Terralba - 16011 ARENZANO (GE)
Email:	biodiv@parcobeigua.it

6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/> Yes
<input checked="" type="checkbox"/> No, but in preparation
<input type="checkbox"/> No

6.3 Conservation measures (optional)

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

F. 440 / I II 1:25.000 Gauss-Boaga