



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT1323202
SITENAME Isola Bergeggi - Punta Predani

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type B	1.2 Site code IT1323202	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Isola Bergeggi - Punta Predani

1.4 First Compilation date 1995-06	1.5 Update date 2019-12
--	-----------------------------------

1.6 Respondent:

Name/Organisation:	Regione Liguria - Dipartimento Ambiente - Servizio Parchi, Aree Protette e Biodiversità
Address:	Via Fieschi, 15 - 16121 Genova
Email:	parchi@regione.liguria.it

1.7 Site indication and designation / classification dates

Date site classified as SPA:	0000-00
National legal reference of SPA designation	No data
Date site proposed as SCI:	1995-06
Date site confirmed as SCI:	No data
Date site designated as SAC:	2017-04
National legal reference of SAC designation:	DM 07/04/2017 - G.U. 98 del 28-4-2017

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude 8.444444 **Latitude** 44.241944

2.2 Area [ha]: 9.7 **2.3 Marine area [%]:** 1.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code	Region Name
--------------------------	--------------------

2.6 Biogeographical Region(s)

Mediterranean (100.0
%)

3. ECOLOGICAL INFORMATION

3.1 Habitat types present on the site and assessment for them

[Back to top](#)

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
1170			0.1		P	B	C	C	C
1210			0.1		P	C	C	C	C
1240			0.97		P	B	C	B	B
5330			0.97		P	C	C	B	B
6220			0.49		P	C	C	C	B
8210			2.43		P	C	C	B	B
8310			0.001	3	P	B	C	B	B
8330			0.001	2	P	A	C	B	B
9540			2.43		P	A	C	B	B

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site					Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A168	Actitis hypoleucos			c				P	DD	D			
B	A257	Anthus pratensis			c				P	DD	D			
B	A226	Apus apus			r				P	DD	D			
B	A227	Apus pallidus			r				P	DD	C	C	C	C
P	1751	Campanula sabatia			p				R	DD	C	B	A	B
B	A366	Carduelis cannabina			r				P	DD	D			
B	A364	Carduelis carduelis			c				P	DD	D			
B	A363	Carduelis chloris			c				P	DD	D			
B	A349	Corvus corone			c				P	DD	D			
B	A347	Corvus monedula			c				P	DD	D			
B	A113	Coturnix coturnix			c				P	DD	D			
B	A212	Cuculus canorus			c				P	DD	D			
B	A026	Egretta garzetta			c				P	DD	D			
B	A269	Erithacus rubecula			c				P	DD	D			
B	A096	Falco tinnunculus			w				P	DD	D			
B	A322	Ficedula hypoleuca			r				P	DD	D			
B	A001	Gavia stellata			w				P	DD	D			
B	A338	Lanius collurio			c				P	DD	D			
B	A184	Larus argentatus			c				P	DD	D			
B	A181	Larus audouinii			c				P	DD	D			
B	A183	Larus fuscus			p				P	DD	D			
B	A176	Larus melanocephalus			c				P	DD	D			
B	A281	Monticola solitarius			c				P	DD	D			
B	A023	Nycticorax nycticorax			c				P	DD	D			
B	A354	Passer domesticus			p				P	DD	D			
B	A392	Phalacrocorax aristotelis desmarestii			c				P	DD	D			
B	A017	Phalacrocorax carbo			w				P	DD	C	C	C	C

B	A391	Phalacrocorax carbo sinensis			c				P	DD	D				
B	A273	Phoenicurus ochruros			c				P	DD	D				
B	A274	Phoenicurus phoenicurus			c				P	DD	D				
B	A315	Phylloscopus collybita			c				P	DD	D				
B	A314	Phylloscopus sibilatrix			r				P	DD	D				
B	A316	Phylloscopus trochilus			c				P	DD	D				
B	A311	Sylvia atricapilla			c				P	DD	D				
B	A305	Sylvia melanocephala			p				P	DD	D				
B	A333	Tichodroma muraria			c				P	DD	D				
B	A265	Troglodytes troglodytes			p				P	DD	D				
B	A283	Turdus merula			c				P	DD	D				
B	A285	Turdus philomelos			p				P	DD	D				

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species			Population in the site					Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
P		Allium acutiflorum						V						X
P		Anacamptis pyramidalis						V					X	
P		Anthyllis barba-jovis						R						X
I		Bioplanes meridionalis						R				X		
P		Brassica oleracea ssp. robertiana						C				X		
P		Centaurea apolepa ssp. apolepa						P				X		
P		Centaurea apolepa ssp. gallinariae						R				X		
I		Cicindela maroccana pseudomaroccana						V						X
P		Coris monspeliensis						R						X
R		Coronella girondica						P					X	
P		Euphorbia dendroides						C						X
I		Gonetperyx cleopatra						P						X
P		Helianthemum nummularium ssp. berterianum						R				X		
P		Lavatera maritima						V						X
P		Limonium cordatum						P				X		
I		Meira stierlini						R				X		
P		Ophrys atrata						V						X
P		Ophrys bombyliflora						V					X	
P		Ophrys sphecodes						V					X	
R	1256	Podarcis muralis						C	X					
I		Polyommatus hispanus						P						X
P		Silene salzmanni						P				X		
P		SILENE SALZMANNII BADARO						V				X		
P		Thymelaea hirsuta						V						X

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))

- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N22	20.0
N08	60.0
N09	5.0
N23	4.0
N05	11.0
Total Habitat Cover	100

Other Site Characteristics

l'isola presenta una costa rocciosa medio alta, mentre la zona di Punta Predani è costituita da un fondovalle con presenza di un rio. Affiorano le dolomie di S. Pietro dei Monti con strutture algali e interstrati pelitici. Sussistono testimonianze di importanza storico-archeologica. Il sito è Riserva Naturale Regionale di Bergeggi L.R. n°10 del 27/2/1985.

4.2 Quality and importance

Area costituita da 2 subsiti: uno insulare e uno costiero direttamente antistante. Sono presenti importanti aspetti di erosione carsica e marina (grotte con reperti che testimoniano passati bradisismi) su substrato dolomitico. L'insularità, sebbene non accentuata per la relativa vicinanza alla costa, evidenzia l'importanza delle popolazioni animali e vegetali. Sono presenti frammenti di habitat mediterranei di notevole interesse (formazioni ad *Euphorbia dendroides*). E' presente *Campanula sabatia*, specie di interesse prioritario ai sensi della direttiva 92/43 CEE; oltre ad endemiti e specie protette da direttive/convenzioni internazionali, vi si ritrova *Anthyllis barba-jovis*, specie rara in Liguria e prossima al limite settentrionale. E' uno dei rari siti di nidificazione del gabbiano reale in Liguria. Sussistono inoltre testimonianze di importanza storico - archeologica. E? da segnalare la presenza di *Cicindela maroccana pseudomarroccana* che per la loro rarità/interesse biogeografico è stata proposta dalla Regione Liguria per l'inserimento nell'allegato II della 92/43 CEE.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
M	K02		-
M	E01.01		-
M	G01		-
M	A04.03		-
M	F03.01		-
M	I02		-
M	E03		-
M	J03.01		-
M	G05.05		-
M	K03.02		-
M	J01.01		-
M	F04		-
M	D03.01		-
M	H01.08		-

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside /outside [i o b]

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

4.5 Documentation

Flora:- AA.VV. - 1979 - Quindici parchi per la Liguria. Studio Cartografico Italiano, 160 pp. Regione Liguria, Genova.- AA.VV. - 1986 - Isola di Bergeggi. Riserva naturale regionale. Le guide del pettirosso. 2: 16 pp. Regione Liguria, AGIS, Genova.- Beguinot A. - 1907 - La vegetazione delle isole liguri di Gallinara, Bergeggi, Palmaria, Tino e Tinetto. Ann. Mus. Civico St. Nat. Genova 43: 419-469.- Mariotti M., Barberis G. - 1985 - Note vegetazionali sugli aspetti a *Euphorbia dendroides* L. e *Anthyllis barba-jovis* L. in Liguria. Not. Fitosoc. 22: 77-82.- Mariotti M.G. - 1993 - Main floristic and vegetation changes in the Ligurian Islands. Ann. Bot. 51: 265-266.- Orsino F. - 1975 - Flora e vegetazione delle isole Gallinara e Bergeggi (Liguria occidentale). Webbia 29: 596-644.Uccelli:- Andreotti A. & Rossi G.L. - 1991 - Dati preliminari sull'avifauna nidificante delle isole liguri. Analisi e proposte gestionali. Suppl. Ric. Biol. Selvaggina, 17: 281-285.- Borgo E., Ceccarini G. & Spanò S. - 1989 - Il Gabbiano reale *Larus cachinnans* Pallas sull'isola di Bergeggi (Liguria occidentale). Boll. Mus. Ist. Biol. Univ. Genova, 54-55: 91-116.- Spanò S. & Truffi G. - 1987 - Gli Uccelli della Liguria occidentale. Reg. Liguria - Sageg, Genova.Insetti:Cassola F., Studi sui Cicindelidi XIX. Sulla presenza in Italia di *Cicindela maroccana Fabricius* (Coleoptera), 1978, Doriana, 5(229): 1-7, , , ; Anfibi e Rettili:- Doria G., Salvidio S. - 1994 - Atlante degli Anfibi e Rettili della Liguria. [N. B. I dati, oltre 2500 osservazioni originali, sono consultabili al Museo Civico di Genova]. Cataloghi dei beni naturali n°2. Regione Liguria, NuoveLitoeffe, Castelvetro Piacentino, 151 pp.Geologia:- AA.VV. - 1991 - Alpi Liguri. Guide geologiche regionali, 2: 293.- Boni A., Cerro A., Gianotti R., Vanossi M. - 1971 - Note illustrative della carta geologica d'Italia 1:100.000 Foglio 92-93 Albenga-Savona. Servizio Geologico d'Italia.- Messiga B. - 1981 - Evidenze strutturali e paragenetiche dell'evoluzione polifasica pre-alpina del Massiccio Cristallino di Savona. Rend. S.I.M.P., 37: 739-745.- Rovereto G. - 1939 - Liguria geologica. Mem. Soc. Geol. It., 2: 743.- Vanossi M., Cortesogno L., Galbiati B., Messiga B., Piccardo G., Vannucci R. - 1984 - Geologia delle Alpi liguri: dati, problemi, ipotesi. Mem. Soc. Geol. It., 28: 5-75.Paleontologia:- Bernardini E. - 1985 - Liguria. Itinerari archeologici. Newton Compton Ed., Roma: 224 pp.- Del Lucchese A., Giacobini G. & Vicino G. - 1985 - (a cura di) L'uomo di Neandertal in Liguria. Quaderni Sopr. Arch. Liguria, 2: 1-110.- Tiné S. (a cura di) - 1983 - I Cacciatori paleolitici. Sagep Ed., Genova: 63 pp.

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]
IT11	100.0

Code	Cover [%]
IT05	100.0

Code Cover [%]

5.2 Relation of the described site with other sites:

5.3 Site designation (optional)

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	COMUNE BERGEGGI
Address:	Via De Mari, 28 - 17028 BERGEGGI (SV)
Email:	b.lpa@comune.bergeggi.sv.it

6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/> Yes
<input type="checkbox"/> No, but in preparation
<input checked="" type="checkbox"/> No

6.3 Conservation measures (optional)

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

276-IIINE 1:25000 Gauss-Boaga